



A new era in premium ultrasound

Philips EPIQ 5 ultrasound system

PHILIPS

The new challenges in global healthcare

Unprecedented advances in premium ultrasound performance can help address the strains on overburdened hospitals and healthcare systems, which are continually being challenged to provide a higher quality of care cost-effectively. The goal is quick and accurate diagnosis the first time and in less time. Premium ultrasound today demands improved clinical information from each scan, faster and more consistent exams that are easier to perform, and a higher level of confidence, even for technically difficult patients.



Key trends in global ultrasound

- The need for more definitive premium ultrasound with exceptional image quality and intelligence that provides automated views and quantification
- Ultrasound exam volumes continue to increase every year due to the aging global population, resulting in a demand for greater workflow and throughput
- A demand to automate most operator functions to allow for ease of use and consistency of exam between users
- The need for technology to address the technically challenging patient
- Patient concern about radiation dose is resulting in a movement to use ultrasound first – even for advanced image guided therapy, replacing a number of procedures now performed using more expensive modalities



Introducing a new era in premium ultrasound

It's our most powerful architecture ever applied to ultrasound imaging – touching all aspects of acoustic acquisition and processing, allowing you to truly experience ultrasound's evolution to a more definitive modality.



Performance

More definitive diagnoses even for your most difficult cases

EPIQ 5 is the new direction for premium ultrasound, featuring an uncompromised level of clinical performance to meet the challenges of today's most demanding practices.



Our most powerful architecture ever applied to ultrasound imaging

This performance touches all aspects of acoustic acquisition and processing, allowing you to truly experience the evolution to a more definitive modality.

Philips nSIGHT Imaging is a totally new approach

The Philips proprietary nSIGHT Imaging architecture introduces a totally new approach to forming ultrasound images without compromise. Unlike conventional systems that form the image line by line, nSIGHT creates images with optimal resolution down to the pixel level.

Extraordinary architecture

Proprietary nSIGHT Imaging incorporates the use of a new precision beamformer along with powerful massive parallel processing. This extraordinary architecture captures an enormous amount of acoustic data and then reconstructs optimally focused beams, creating precise resolution for every pixel in the image – all in real time.

Breaking old rules. Creating new realities.

nSIGHT Imaging breaks the rules of conventional ultrasound to achieve new levels of clinical performance.

Old rule 1

You must choose between frame rate and image quality

Conventional
technology

nSIGHT Imaging

nSIGHT more than doubles the frame rate

For the first time you can experience both highly detailed ultrasound images and extraordinary temporal resolution and frame rate through virtually perfect beams with fewer transmit operations, breaking the traditional compromise of conventional architectures.

Old rule 2

You must critically place a focal zone to achieve the greatest image clarity



Conventional
technology

Best resolution
limited to
transmit focal
zone area



nSIGHT
Imaging

Effective
reconstructed
transmit beam
uniformity

Now you can experience superb tissue uniformity all the way up to the skin line without the compromise of conventional transmit focus limitations through dynamic calculation and reconstruction of optimal transmit and receive focusing continually at all depths down to the pixel level.

Old rule 3

You can't escape penetration limitations and sensitivity to weak tissue signals



C9-2 PureWave curved array

Superb penetration and resolution
(16 cm) on adult patient

nSIGHT Imaging

Visualize extraordinary levels of detail and contrast resolution with exceptional penetration at higher frequencies even on difficult patients through ultra-wide dynamic range and unique beam reconstruction that reinforces exceptional tissue information at greater depths with less noise.

Image quality: the numbers tell the story

Comparing EPIQ 5 to conventional premium systems shows breakthrough advances in imaging performance:*

- Up to **76%** increase in penetration
(penetration = ability to scan at depths and maintain resolution in order to complete the study)*
- Up to **160%** increase in temporal resolution
(ability to maintain resolution at high frame rates)*

*Quantitative engineering study comparing Philips iU22 ultrasound system with EPIQ 5.

Exceptional images for a new era

Abdomen General
C9-2

34Hz
RS
2D
74%
Dyn R 55
P Low
HRes




LIVER / RIGHT KIDNEY

12cm

Abdomen General
C9-2

71Hz
RS
2D
83%
Dyn R 70
P Low
Gen
CPA
76%
1600Hz
WF 70-L
3.4MHz




RENAL TRANSPLANT VASCULATURE

9.1cm

Vascular Carotid
L12-3

26Hz
RS
2D
47%
Dyn R 50
P Low
Gen
CF
84%
3500Hz
WF 227Hz
3.5MHz



COMMON CAROTID ARTERY

38.5
cm/s

Pediatric Neo Head
C8-5

24Hz
RS
2D
77%
Dyn R 61
P Low
Res




GRADE III INTRAVENTRICULAR HEMORRHAGE

8.9cm

Vasc Carotid
L12-3

38Hz
RS
2D
56%
Dyn R 50
P Low
HGen




COMMON CAROTID ARTERY DISSECTION

8
cm/s

Vasc Venous
L12-3

15Hz
2D
73%
Dyn R 44
P Low
HRes
CF
54%
870Hz
WF 30Hz
3.5MHz




POSTERIOR TIBIAL VEINS / ARTERY

9.5
cm/s

5m Parts Thyroid
L18-8

52Hz
RS
2D
36%
Dyn R 56
P Low
Res



THYROID LEFT LOBE

Abd Gen
C9-2

35Hz
RS
2D
51%
Dyn R 55
P Low
HRes



HEPATIC VEINS

Gyn Pelvis
C10-3v

56Hz
RS
2D
50%
Dyn R 57
P Coll
Gen



ENDOMETRIUM

OB Early
C9-2


88Hz
RS
2:1:4
2D
59%
Dyn R 52
P Low
HRes



14 - WEEK FETAL PROFILE

MSK Superfic
L18-8


30Hz
RS
2D
38%
Dyn R 56
P Med
Res



BIFID BICEPS TENDON

Breast
L18-8

45Hz
RS
2D
45%
Dyn R 60
P Med
Res



BREAST CYSTS


The technically difficult patient is



nSIGHT Imaging strengthens the power of PureWave to image technically difficult patients. PureWave crystal technology represents the biggest breakthrough in piezoelectric transducer material in 40 years. The pure, uniform crystals of PureWave are 85% more efficient than conventional piezoelectric material, resulting in exceptional performance. This technology allows for improved penetration in difficult patients with a single transducer and for excellent detailed resolution.

PureWave offers enhanced technology for imaging technically difficult patients in a wide range of applications:

- PureWave C5-1 and the new PureWave C9-2 for difficult-to-image abdominal and OB patients
- PureWave S5-1 for difficult-to-image cardiology patients and transcranial applications
- PureWave C10-3V for difficult-to-image early obstetrical and gynecological exams



Conventional (x800) PureWave (x800)


PureWave crystals have virtually perfect uniformity for greater bandwidth and twice the efficiency of conventional ceramic materials. The result is excellent imaging and Doppler performance.



Liver and right kidney, technically difficult patient (BMI=40).



Fetal abdomen, technically difficult patient (BMI=80).



Apical 4 chamber view of the heart with sensitive color flow in pulmonary veins.


now even easier

Elastography for more definitive clinical information about tissue stiffness

EPIQ 5 is uniquely designed to support both strain and shear wave methods of elastography. Highly sensitive strain imaging requires no external compression and can be used to assess relative tissue stiffness across a variety of applications. Shear wave elastography utilizes unique pulsing schemes to generate and measure the propagation speed of shear waves through tissue. This technique produces an absolute measure of tissue stiffness that has proven helpful in assessing diseases such as liver fibrosis.


Access to multimodality images

Use multimodality query retrieve to view DICOM images such as CT, NM, MR, mammography, and ultrasound. Easily compare past and current studies without the use of an external reading station, and even review these multimodality images while live imaging.



Fully integrated fusion






Pancreas assessment using US and CT fusion.

Fast and effective image fusion

Make confident decisions even in challenging diagnostic cases with new fully integrated fusion capabilities that feature streamlined workflows to allow clinicians to achieve fast and effective fusion of CT/MR/PET with live ultrasound.

By combining imaging modalities directly on the ultrasound system, you now have access to an even more powerful diagnostic tool with advanced visualization, allowing for fast decisions, and potentially accessing earlier treatment pathways than without fusion.



Needle navigation helpful in guiding biopsy of small and difficult-to-access lesions.

State-of-the-art needle navigation

Needle navigation is a performance-enhancing tool for challenging interventional cases such as a hard-to-visualize small-lesion biopsy or difficult-to-access ablations that are close to critical structures. Procedures can now be completed in less time and with fewer confirmatory scans.

A new reusable adaptive needle tracker, and an expanded range of coaxial needle-tip tracked instruments offer you a wide range of compatibility with biopsy and ablation devices depending on the degree of procedure complexity.


Expand fusion and navigation capabilities through a range of transducers, including the PureWave C5-1 and the C9-2 (abdominal), L12-5 (breast and small parts), and C10-4ec (prostate).

Revolutionize your contrast exam

Contrast-enhanced ultrasound (CEUS) workflow is now seamlessly integrated into virtually any exam. EPIQ 5 provides instant optimization of CEUS studies and exceptional performance across multiple agents and applications. **n**SIGHT Imaging allows higher sensitivity to lower bubble concentrations while providing exceptional temporal resolution during critical wash-in/wash-out phases.



Among leading ultrasound manufacturers, Philips offers the world's only live 3D contrast system for general imaging with real-time 3D contrast data for dynamic clinical assessment.




SPLenic LACERATION / CONTRAST IMAGING



AORTIC TYPE II ENDOLEAK / CONTRAST IMAGING



LIVER MASS / CONTRAST IMAGING



CAROTID BULB / CONTRAST IMAGING



RENAL CELL CARCINOMA



LIVER LESION / CONTRAST IMAGING

The high-order parallel processing provided by *n*SIGHT Imaging allows for higher 2D and 3D frame rates during contrast imaging so that no dynamic information is lost.

Designed

to reinvent the user experience

EPIQ 5 makes it easy to be green

EPIQ 5 is one of the greenest systems we have ever designed. It consumes 25% less power than our existing premium ultrasound.

EPIQ 5 has completely reinvented the premium sonographers experience. Ease of use, workflow, ergonomics, portability... we've revolutionized how you interact with an ultrasound system from every standpoint, and kept it beautifully intuitive.

More than 80% of sonographers experience work-related pain, and more than 20% of these suffer a career-ending injury.¹ With EPIQ 5 a new tablet-like interface results in dramatic reduction in reach and button pushes, with 40% to 80% less reach and 15% fewer steps.*

Advanced workflow

The design of the platform features "walk up usability" meaning that users can perform an exam with minimal training. The system offers the automation to drive efficiency throughout exams with features such as Real Time iSCAN (AutoSCAN), which automatically optimizes gain and TGC continuously to provide optimal images are achieved in 2D, 3D, or 4D.

Library quiet

EPIQ 5 is almost silent when running. A noise test determined that EPIQ 5 runs at 37-41 dB, which is equivalent to the sound of a library.



EPIQ 5 features integrated efficiency tools and multiple degrees of articulation for scanning comfort.



1. Society of Diagnostic Medical Sonography, Industry Standards for the Prevention of Musculoskeletal Disorders in Sonography, May 2003.

*Engineering study comparing Philips iU22 ultrasound system with EPIQ 5.



Scanning comfort

Multiple degrees of articulation for both the control panel and 54.6 cm LCD monitor with 720° of freedom allows for ergonomic alignment for scanning comfort whether sitting or standing.

Amazingly portable

At just 104.3 kg, EPIQ 5 is lightest in its class and 40% lighter than the heaviest competitive premium system. Easily transport EPIQ 5 on both carpet and tile floors. The monitor folds down to reduce overall system height for transport, and the integrated cable hooks and catch tray are ideal for portable studies. Wireless DICOM further aids workflow.

Place EPIQ 5 in sleep mode, move it, and boot up in seconds.

Efficiency is built in

Integrated efficiency tools address the expanding demand for greater throughput and exam consistency.

SmartExam

SmartExam decreases exam time by 30-50%, keystrokes by as many as 300/exam, and results in a higher level of consistency among users. It is fast and easy to customize, providing consistent and accurate annotation, automatic mode switching, and missed view alerts to streamline exams. The result is more time to focus on your patients, increased confidence in complete studies, less focus on requirements, less repetitive motion, less stress, and improved schedule maintenance and department efficiencies.

Auto Doppler for vascular imaging

Auto Doppler takes time-consuming color box positioning and sample volume placement from ten steps to three steps and reduces the number of repetitive button pushes by an average of 67.9%.

Active native data

Active native data allows for post-processing of many exam parameters.

Set-up Wizard

Set-up Wizard allows users to step up to the system, easily establish user configurations, and get running quickly.


Large 54.6-cm wide screen for easy viewing in virtually any environment.



Intelligence

turning images into answers

Anatomical Intelligence Ultrasound (AIUS) from Philips is designed to elevate the ultrasound system to an actively adaptive device.



AIUS is the heart of EPIQ 5

At the heart of the powerful EPIQ 5 architecture is our Philips exclusive Anatomical Intelligence Ultrasound (AIUS), designed to elevate the ultrasound system from a passive to an actively adaptive device.

Q-App quantification applications

EPIQ 5 offers a wide variety of sophisticated Q-Apps to quantify ultrasound image information.

General imaging Q-Apps

- Intima Media Thickness (IMT)
- General Imaging 3D Quantification (GI 3DQ)
- Region of Interest (ROI)
- MicroVascular Imaging (MVI)
- Fetal Heart Navigator (FHN)
- Vascular Plaque Quantification (VPQ)

Cardiology Q-Apps

- Strain Quantification (SQ)
- CMQ Stress
- Automated 2D Cardiac Quantification^{A.I.} (a2DQ^{A.I.})
- Automated Cardiac Motion Quantification^{A.I.} (aCMQ^{A.I.})

Automation

Automated 2D Cardiac Quantification^{A.I.} (a2DQ^{A.I.}) with ZeroClick technology for adult and pediatric echo

The ideal tool of every echo lab, Automated 2D Cardiac Quantification^{A.I.} (a2DQ^{A.I.}) with ZeroClick technology uses AIUS for an Auto-ROI to drive the Q-App and provide rapid access to proven 2D EF and volumes. AutoEF is available during the study and so fits in with an everyday echo protocol.

Automated Cardiac Motion Quantification^{A.I.} (aCMQ^{A.I.}) with ZeroClick technology for adult echo


The ZeroClick technology of the Automated Cardiac Motion Quantification^{A.I.} (aCMQ^{A.I.}) uses speckle mechanics to provide reproducible 2D Global Longitudinal Strain (GLS) speckle measurements. An accurate EF is also calculated by using the Auto-ROI that drives the automation within the aCMQ^{A.I.} Q-App.

Vascular Plaque Quantification (VPQ)


Vascular Plaque Quantification is a non-invasive tool that uses 3D technology to visualize and quantify both the overall volume of vascular plaque in the carotid artery and the percent area of vessel reduction, as well as other characteristics of plaque composition. VPQ may prove to be a valuable tool to aid in determining who is at an increased risk of stroke or cardiovascular disease based on this important measurement of plaque buildup in the carotid artery.



a2DQ^{A.I.} with ZeroClick for fast, reproducible EF on all your patients.



aCMQ^{A.I.} with ZeroClick technology provides both EF and GLS from the same 2D images.



VPQ and the VL13-5 transducer allow advanced analysis of plaque volume and morphology.

Advanced support services are proactive



We understand your challenges: uncertain economic times, changing healthcare landscapes, and the impact of healthcare reform. We know that efficient workflows and system uptime are critical success factors in running an effective healthcare business.

Philips is committed to offering solutions to provide you with world-class services that move from reactive to proactive and with predictive service models that provide high system availability and enhanced workflow to help you deliver high-quality patient care.

Remote services mean we're closer than ever*



Remote desktop

Spend less time on the phone with a Philips “Virtual Visit” with remote system interaction for fast technical and clinical troubleshooting and guided scanning options.

iSSL technology


This industry-standard protocol meets global privacy standards and provides a safe and secure connection to the Philips remote services network using your existing Internet access point.

Online support request

Enter a support request directly from your EPIQ system for a fast, convenient communication mechanism that reduces workflow interruption and keeps you at the system and focused on your patient.

The remote desktop allows Philips service engineers to gain a live view of your system's console for remote operation, real-time clinical troubleshooting, and issue resolution.

and predictive



Philips offers the only ultrasound utilization tool that provides individual transducer usage and the ability to sort by exam type.

Utilization reports

Data intelligence tools that can help you make informed decisions to improve workflow, deliver quality patient care, and decrease the total cost of ownership. This is the only ultrasound utilization tool that provides individual transducer usage and the ability to sort by exam type.

Pro-active monitoring

Proactive monitoring allows for the detection and repair of anomalies before they become problems and helps us to better predict potential failures and proactively act on them. Increase system availability, optimize workflow, and promote patient satisfaction by scheduling downtime as opposed to reacting to an unexpected problem.

*Check for availability in your geography.

Exceptional serviceability

The system features superior modular design for rapid repair, getting your system up and running quickly.

Intelligent software architecture

Software is easily optimized, maintained, and restored by the service user without risk to patient data, giving you peace of mind when dealing with software anomalies and confidence that your data is safe.

This software architecture takes patient data privacy to a new level. Patient data is stored on a separate partition and physical location to provide protection and ease of removal, providing you total control of your data.

Clinical education solutions

Our comprehensive, clinically relevant courses, programs, and learning paths are designed to help you improve operational efficiency and enhance patient care.

Philips Healthcare
is part of **Royal Philips**

How to reach us

www.philips.com/healthcare
healthcare@philips.com

Asia

+49 7031 463 2254

Europe, Middle East, Africa

+49 7031 463 2254

Latin America

+55 11 2125 0744

North America

+1 425 487 7000

800 285 5585 (toll free, US only)

Please visit www.philips.com/EPIQ



© 2014 Koninklijke Philips N.V.
All rights are reserved.

Philips Healthcare reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.

Printed in The Netherlands.
4522 991 01091 *APR 2014